	Application No.	Applicant(s)
	Application No.	
Notice of Allowability	10/664,570	DE'ARMOND, ROBERT
Notice of Anowability	Examiner	Art Unit
	Bao Q. Truong	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 22 August 2005.		
2. The allowed claim(s) is/are 25-44.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Distinct of Information	latest Application (DTO 152)
1. Notice of References Cited (PTO-892)		ratent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Date	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	•	

Application/Control Number: 10/664,570

Art Unit: 2875

REASONS FOR ALLOWANCE

1. Claims 25-44 are allowed.

2. The following is an examiner's statement of reasons for allowance:

The terminal disclaimer filed on 8/22/2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Pat. No. 6,767,117 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Claims 25 and 33, an electrical lighting fixture comprises, in combination as claimed, a hanging rod attached at an upper end to a distal end of an upper support arm and attached at a lower end to a lamp housing.

Claims 26-32 and 41 are dependent on claim 25.

Claims 34-40 and 42 are dependent on claim 33.

Claims 43 and 44, a lighting fixture comprises, in combination as claimed, a lamp housing connected to a distal end of an upper support at a plurality of locations.

L.F. Betts [US 0,257,842] and Sandell et al. [US 6,348,691] disclose a lighting fixture having an upper support arm and a rear support arm. However, none of them discloses or suggests the hanging rod or the lamp housing connecting at a distal end of the upper support at a plurality of locations as discussed above.

The limitations discussed above are neither disclosed nor suggested by the prior art of record.

Application/Control Number: 10/664,570

Art Unit: 2875

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao Q. Truong whose telephone number is (571) 272-2383. The examiner can normally be reached on Monday-Friday (8:00 AM - 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bao Q. Truong Examiner Art Unit 2875

JOHN ANTHONY WARD